

**Watershed and Floodplain Management
along the Tarim River
in China's Arid Northwest**

Watershed and Floodplain Management along the Tarim River in China's Arid Northwest

Edited by

Thomas Hoppe, Birgit Kleinschmit, Bruce Roberts,
Niels Thevs, and Ümüt Halik

Shaker Verlag, Aachen

Bibliographic information published by the Deutsche Nationalbibliothek

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data are available in the Internet at <http://dnb.d-nb.de>.

This publication was supported by Heinrich-Böll-Foundation, Berlin.

Cover photo:

The Tarim, lower part of the lower reaches, Western branch at the former Loplik settlement of Yengisu (September 6th 2003). In 2003, this part of the Tarim lower reaches received discharges during almost the whole vegetation period, in 2004 only during 47 days.

© cover photo: Birgit Kleinschmit

Book design: Philipp Pratap Thapa (philipp@thapa.de)

Copyright Shaker Verlag 2006

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publishers.

Printed in Germany.

ISBN-10: 3-8322-5662-8

ISBN-13: 978-3-8322-5662-3

ISSN 1611-1087

Shaker Verlag GmbH • P.O. BOX 101818 • D-52018 Aachen

Phone: 0049/2407/9596-0 • Telefax: 0049/2407/9596-9

Internet: www.shaker.de • e-mail: info@shaker.de

Contents

Preface	17
Introduction	21
– Thomas HOPPE & Bruce ROBERTS	
Acknowledgements	35
Abbreviations	35

Part 1 General introductory topics

1 Half a century of environmental change in the Tarim River Valley – An outline of causes and remedies	39
– HAI Ying (Omarjan), WAI Lu, Thomas HOPPE & Niels THEVS	
2 The regulation of the Tarim River system	77
– ZHU Xiangmin, WU Liuyi, Omarjan OBUL & Ārkin HABIBULLA	
3 Water resource development and its environmental effects in the Tarim River floodplain	91
– Hamid YIMIT, HE Linyun, Wahap HALIK & Ernst GIESE	
4 Inquiry into the establishment of an administrative system for the restoration or rehabilitation of the degraded Tarim ecosystem	109
– XU Jinfeng	
5 Restoration and rehabilitation of the degraded Tarim River ecosystem: The role of local knowledge and local participation	127
– TSUI Yenhu (CUI Yanhu)	
6 A fundamental approach towards a non-destructive and non-violent use of natural resources	135
– Heiko DIESTEL	

Part 2 Historical ecology

7 Floodplain reclamation – floodplain control: Cross-cultural observations in search of a type-specific method of analysis based on common development patterns	153
– Johannes KÜCHLER	

- 8 A historical review of the changes to the course
of the lower Tarim River 167
– ZHANG Li
- 9 The Lopliks, their environment, and ecological restoration 179
– Thomas HOPPE, with remarks on the role of culture by Adiya MĀMĀT

Part 3 Hydrology, soils, vegetation, and climate

- 10 Determining ideal groundwater depths for ecological purposes
in the Tarim River Valley 213
– FAN Zili
- 11 The potential influence of embankment engineering and ecological
water transfers on the riparian vegetation along the middle and
lower reaches of the Tarim River 221
– Ümüt HALIK, Alishir KURBAN, Muzappar MIJIT, Jörg SCHULZ,
Frank PAPROTH & Bodo COENRADIE
- 12 *Tamarix* taxa in China and their utilization
for desertification control in the Tarim Basin 237
– LIU Mingting
- 13 The relationship between climate change and surface runoff
along the tributaries of the Tarim River 247
– YANG Qing & CUI Caixia
- 14 A survey of the avifauna and mammals
along the Tarim's middle reaches 255
– Konrad SCHLEICHER
- 15 Vegetation and land cover in the Tarim Huyanglin Nature Reserve .. 267
– Niels THEVS
- 16 The decline of riparian poplar forests: Discovering the causes and
developing strategic measures of forest restoration 295
– HUANG Peiyu
- 17 The ecological range of *Populus euphratica*
at the middle reaches of the Tarim River 303
– Philipp Pratap THAPA

18	The state of ecological degradation and rehabilitation along the lower reaches of the Tarim River	327
	– XU Hailiang, YE Mao, Ahmet NAYUP & ZHAO Yuanjie	
19	Vitality analysis of Tugay forests – a combined approach using satellite data and terrestrial samples	337
	– Birgit KLEINSCHMIT	
20	Analysis of some bio-meteorological characteristics of <i>Populus euphratica</i> Oliv.	349
	– Nurbay ABDUSALIH, Tashpolat TIYIP & Parwin AWUT	

Part 4 The local economy

21	Comparative analysis of Uyghur and Han-Chinese farm management along the middle reaches of the Tarim River	359
	– Stefanie HOFMANN	
22	Grazing in the Tarim Huyanglin Nature Reserve	373
	– Niels THEVS	

Part 5 Water resource management

23	Analyzing the attempts to innovate water resource management in arid land watersheds	395
	– LIU Zhihui & LU Xilin	
24	The legal framework of water management in the Tarim Basin	409
	– ZHANG Jiebin	

Appendix

	Important Uyghur, Chinese, and Mongolian place names	427
	Participants of the Korla Conference	429

Tables

Part 1 General introductory topics

- 1 Half a century of environmental change in the Tarim River Valley –
An outline of causes and remedies
– HAI Ying (Omarjan), WAI Lu, Thomas HOPPE & Niels THEVS
*Table 1: World-wide distribution of *Populus euphratica* forests (Tugay), 1993* 53
*Table 2: Corps Farms set up by the XJPC 1st Agrarian Division, Aksu, in 1950–1957,
and their development until 1997* 65
*Table 3: Corps Farms set up by the 1st Agrarian Division, Aksu, in 1958–1966, and their
development until 1997* 66
Table 4: Corps Farms of the XJPC 2nd Agrarian Division, Korla, set up in 1950–1957 . 67
Table 5: Farms of the XJPC 2nd Division, Korla, set up in 1958–1960 (1966) 68

- 2 The regulation of the Tarim River system
– ZHU Xiangmin, WU Liuyi, Omarjan OBUL & Ärkin HABIBULLA
Table 1: Hydraulic engineering projects in the “4 to 1-Watershed” 79
Table 2: Water consumption differentiated according to consumer groups 80
Table 3: Allocation of funds for the entire Tarim regulation project 86
Table 4: Allocation of funds from 2001 to 2006 87
Table 5: Funds released for the Tarim regulation project 88

- 3 Water resource development and its environmental effects
in the Tarim River floodplain
– Hamid YIMIT, HE Linyun, Wahap HALIK & Ernst GIESE
*Table 1: Statistics of the three tributaries’ discharges and supplies ($\times 10^8 \text{ m}^3$) to the Tarim
mainstream* 93
*Table 2: Multi-annual variation of seasonal discharge distribution at the Xidaqiao and
Aral hydrological stations* 95
*Table 3: Discharge variation at various segments of the mainstream during different
periods* 95
*Table 4: Utilization coefficients (%) of canals before and after introducing anti-seepage
measures in the Chara-Tikanlik irrigation area* 102

Part 3 Hydrology, soils, vegetation, and climate

- 11 The potential influence of embankment engineering and ecological
water transfers on the riparian vegetation along the middle and
lower reaches of the Tarim River
– Ümüt HALIK, Alishir KURBAN, Muzappar MIJIT, Jörg SCHULZ,
Frank PAPROTH & Bodo COENRADIE
Table 1: Natural vegetation and its distribution along the Tarim River 223
Table 2: Seven deliveries of “ecological water” to the lower reaches 228

Table 3: Annual groundwater depths before and after the water deliveries to the lower reaches (lower part)	230
Table 4: Plant species with their corresponding groundwater tables measured at the lower part of the lower reaches of the Tarim River	231
Table 5: Species reappearing along the Arghan segment of the Tarim River in 2005	232
14 A survey of the avifauna and mammals along the Tarim's middle reaches	
– Konrad SCHLEICHER	
Table 1: Birds registered in the Tarim River floodplain	258
Table 2: Mammals registered in the Tarim River floodplain	263
15 Vegetation and land cover in the Tarim Huyanglin Nature Reserve	
– Niels THEVS	
Table 1: Distribution of Tugay forests in the world	268
Table 2: Date, location, cloud cover, sun position and source of the employed satellite images	275
Table 3: Spectral band characteristics of Landsat ETM+	278
Table 4: Classes of the final classification result	278
Table 5: Contingency matrix (pixel counts), producer's and user's accuracy for the final classification scheme for the non-flood image	283
Table 6: Contingency matrix (pixel counts), producer's and user's accuracy for the final classification of the non-flood image. Classes Dense Tugay Forests and Tugay Bush and Forest were merged into the class Vegetation (total coverage $\geq 25\%$, abbreviated V)	283
Table 7: Producer's and user's accuracy for the final classification of the non-flood image.	284
Table 8: Contingency matrix for the class validation of flooded vegetation	285
Table 9 a: Percentage of spectral classes forming vegetation zones along the Tarim River and its branches. Dry river branches were <i>not included</i>	288
Table 9 b: Percentage of spectral classes forming vegetation zones along the Tarim River and its branches. Dry river branches were <i>included</i>	288
Table 10: Vegetation and land cover in the Tarim Huyanglin Nature Reserve	291
16 The decline of riparian poplar forests: Discovering the causes and developing strategic measures of forest restoration	
– HUANG Peiyou	
Table 1: World-wide distribution of <i>Populus euphratica</i> forests in ha	297
Table 2: Distribution of <i>Populus euphratica</i> , diameter at breast height, stocking of sample plots (Ejina region)	299
17 The ecological range of <i>Populus euphratica</i> at the middle reaches of the Tarim River	
– Philipp Pratap THAPA	
Table 1: Soil moisture grades and their diagnosis	305
Table 2: Tree vitality grades	308
Table 3: All sites, assorted by ДВН and feu.4 upper limit (field trip B)	319

18	The state of ecological degradation and rehabilitation along the lower reaches of the Tarim River – XU Hailiang, YE Mao, Ahmet NAYUP & ZHAO Yuanjie Table 1: Groundwater quality in different areas of the Tarim's lower reaches in August 2000	330
19	Vitality analysis of Tugay forests – a combined approach using satellite data and terrestrial samples – Birgit KLEINSCHMIT Table 1: Sensor parameters QuickBird and ASTER data	341
	Table 2: Strata of crown density	342
	Table 3: Number of sampling points per stratum	344
	Table 4: Parameters of the field guide	345
20	Analysis of some bio-meteorological characteristics of <i>Populus euphratica</i> Oliv. – Nurbay ABDUSALIH, Tashpolat TIYIP & Parwin AWUT Table 1: Climatic parameters of the study area (Keriya and Chira)	351
	Table 2: Measured photosynthesis parameters	352
	Table 3: Photosynthesis rates (mmol/m ² /s) of <i>P. euphratica</i> leaves taken from stands out in the desert (PS _{desert}) and in the oasis (PS _{oasis}) throughout the day	353
	Table 4: Transpiration rates (mmol/m ² /s) of <i>P. euphratica</i> leaves taken from stands out in the desert (TR _{desert}) and in the oasis (TR _{oasis}) throughout the day	353
	Table 5: <i>P. euphratica</i> leaf and air temperatures measured in desert and oasis stands ...	354

Part 4 The local economy

21	Comparative analysis of Uyghur and Han-Chinese farm management along the middle reaches of the Tarim River – Stefanie HOFMANN Table 1: Land use forms in the Tarim Populus Euphratica Reserve	360
	Table 2: Calculation of variable gross margin (yuans RMB)	368
22	Grazing in the Tarim Huyanglin Nature Reserve – Niels THEVS Table 1: Lopnur pasture type list	375
	Table 2: Correlation of the land cover classes derived from satellite image classification with pasture types of the Lopnur pasture type list	376
	Table 4: Livestock sizes of all eight families herding in Iminchäk in spring 2002	380
	Table 5: Livestock sizes of all eight families herding in Iminchäk in spring 2003	380
	Table 6: Pasture areas digitalized according to satellite images (cf. Figures 1 and 2); calculated potential livestock sizes for all herdsman families' pastures in Iminchäk; and comparison with recorded livestock sizes	383
	Table 7: Consumption of livestock by the families in 2002	384
	Table 8: Livestock sold by each family and gross income from selling livestock in 2002	386

<i>Table 9:</i> Mohair production and corresponding gross income in 2002	387
<i>Table 10:</i> Areas of the land cover units derived from satellite image analysis and their contribution to potential livestock sizes for the whole nature reserve calculated in sheep units	388
<i>Table 11:</i> Potential livestock size in sheep units for the whole nature reserve, Karchugha, and the part of the reserve that lies within Būgūr County	388
<i>Table 12:</i> Livestock in Karchugha end of 2001	389
<i>Table 13:</i> Livestock in Karchugha township 1998, 2000, and 2001	389

Figures

Part 1 General introductory topics

- 1 Half a century of environmental change in the Tarim River Valley –
An outline of causes and remedies
– HAI Ying (Omarjan), WAI Lu, Thomas HOPPE & Niels THEVS
Figure 1: The Tarim's middle reaches in 1903, 1949, 1978, and 2000 45
Figure 2: Map of the Tarim River floodplain showing settlements and state farms ... 62–63
*Figure 3: Map of the Aral Reclamation Area, upper reaches of the Tarim, 1981, based on a
SIR-A image* 64

- 2 The regulation of the Tarim River system
– ZHU Xiangmin, WU Liuyi, Omarjan OBUL & Ärkin HABIBULLA
*Figure 1: Schematic map of the water transfer measures between Baghrash Köl, the
Konche, and the Tarim rivers* 84
Figure 2: Regulation of the Tarim and Kaidu-Konche hydrological system 84

- 3 Water resource development and its environmental effects
in the Tarim River floodplain
– Hamid YIMIT, HE Linyun, Wahap HALIK & Ernst GIESE
Figure 1: Hydrographic overview of the Tarim Basin 92
*Figure 2: The comparison of the derivative water supplies for irrigation and the
discharge at the Imam Pasha Barrage* 97

Part 2 Historical ecology

- 8 A historical review of the changes to the course
of the lower Tarim River
– ZHANG Li
Figure 1: The lower Tarim River and its terminal lake on the Wuchang map of 1863 168
Figure 2: In 1877 Przeval'skij identified the lower Tarim River and its terminal lake 168
Figure 3: In 1900–1901 Hedin visited the lower Tarim River and its terminal lake. 169
Figure 4: The Tarim River and Lop Nor from 1921 to 1952 171
Figure 5: Tarim River and Lop Nor from the 10th century to the early 19th century 171
Figure 6: Sites and relics in the Lop Desert 174

- 9 The Lopliks, their environment, and ecological restoration
– Thomas HOPPE, with remarks on the role of culture by Adiya MÄMÄT
Figure 1: Map of Lop Nur County 186
*Figure 2: Lopliks with their dugouts. Hedin (1900, drawn in 1904) "Estuary of the
Cherchen [Charchan] Darya" (probably at Lake Detama, alias Lake Karaburan)* ... 193
*Figure 3: Dugout with fishing net at Jeralik Reservoir, upper reaches of the Tarim River,
Shayar County* 193

<i>Figure 4: Sattma (hut) made of reeds near Dilpar</i>	194
<i>Figure 5: Fisherman, net, and dugout on the Tarim's upper reaches during the low water period, Shayar County</i>	194
<i>Figure 6: Yengisu: View of parts of the village ruins</i>	204
<i>Figure 7: Yengisu: The most spacious building of the village was said to have been the house of the molla or mosque</i>	204
<i>Figure 8: The Tarim River (its western branch) at Yengisu, facing the Taklamakan in the west</i>	205
<i>Figure 9: Yengisu: Fireplace and the remains of a chimney</i>	205
<i>Figure 10: Yengisu: A horizontal smoke outlet coming from a fireplace or kang (destroyed)</i>	205

Part 3 Hydrology, soils, vegetation, and climate

10 Determining ideal groundwater depths for ecological purposes in the Tarim River Valley – FAN Zili	
<i>Figure 1 a: Correlation between groundwater depth and the groundwater evaporation rate</i>	216
<i>Figure 1 c: Correlation between groundwater depth and the cumulative annual evaporation (mm/a)</i>	216
<i>Figure 2: Salt accumulation rate in correlation to groundwater depth in the 0–50 cm soil horizons of the northern Tarim Basin</i>	216
<i>Figure 1 b: Correlation between groundwater depth and the groundwater evaporation (evaporation discharge) coefficient</i>	216
<i>Figure 3: Correlation between groundwater depth and groundwater mineralization in the Tarim River area</i>	217
<i>Figure 4: Salt concentration on soil surface correlated to groundwater depth</i>	217
<i>Figure 5: Distribution of soil moisture in Profile 05</i>	218
<i>Figure 6: Distribution of soil moisture in Profile 04</i>	218
<i>Figure 7: Profile of salt distribution in a meadow solonchak (T-3)</i>	219
<i>Figure 8: Salt distribution in a relict takyric solonchak (profile T-13)</i>	219
13 The relationship between climate change and surface runoff along the tributaries of the Tarim River – YANG Qing & CUI Caixia	
<i>Figure 1: The Tarim River's tributary areas, the Aksu River basin, and the Aksu and Yarkant river irrigation areas</i>	248
<i>Figure 2: Year by year changes of average temperatures in the regions defined above</i> ...	250
<i>Figure 3: Changes in annual precipitation within each region</i>	250
<i>Figure 4: Annual surface runoff supplies of the tributaries of the Tarim River at the debouchure (10⁸ m³)</i>	251
<i>Figure 5: Runoff supplies of the Aksu River tributaries at the debouchure and regression analysis of the temperature and precipitation in the region</i>	251
15 Vegetation and land cover in the Tarim Huyanglin Nature Reserve – Niels THEVS	
<i>Figure 1: Distribution of Tugay forests</i>	268
<i>Figure 2: Location of the Tarim Huyanglin Nature Reserve</i>	270

Figure 3: Boundaries of the study area, Tarim Huyanglin Nature Reserve, and the Landsat images of path 144, row 32 and path 144, row 32	271
Figure 4: Map of the Tarim Huyanglin Nature Reserve	272
Figure 5: Climate diagram Lopnur/Yuli	273
Figure 6: Monthly discharges of the Tarim River at Yengibazar from March 1992 to December 2002	273
Figure 7: Classified subset of the ETM image from August 2001 (flood image) in RGB 4-3-2	276
Figure 8: Location of the training and validation sites, coordinates in UTM, zone T45 north, WGS 84	277
Figure 9: Scheme for the classification of water-classes	279
Figure 10: Flow chart for the whole classification procedure	280
Figure 11: Classification steps illustrated for Iminchäk as an example	280
Figure 12: Classification result, land cover map of the Tarim Huyanglin Nature Reserve and Sohu Caohu, coordinates in UTM, zone T45 north, WGS 84	282
17 The ecological range of <i>Populus euphratica</i> at the middle reaches of the Tarim River	
– Philipp PrataP THAPA	
Figure 1: Definition of “foliage”	308
Figure 2: Photographs of different vegetation types (sampling sites 1d-5, 11-3, 11-5, and 11-7)	311
Figure 3: Transect 1a	313
Figure 4: Transect 1b	315
Figure 5: Transect 1c	316
Figure 6: Site 1d-5. Electrical conductivity and feu3/feu4 levels	316
Figure 7: Transect 11. Electrical conductivity and feu3/feu4 levels (September)	317
Figure 8: Regression diagrams of FD index and other variables – based on a database including all trees	321
18 The state of ecological degradation and rehabilitation along the lower reaches of the Tarim River	
– XU Hailiang, YE Mao, Ahmet NAYUP & ZHAO Yuanjie	
Figure 1: The groundwater levels in the lower reaches of Tarim River below the Daxihaizi Reservoir	328
Figure 2: The river water salinity at the Chara observation station	329
Figure 3: The vegetation coverage in correlation to groundwater levels	330
19 Vitality analysis of Tugay forests – a combined approach using satellite data and terrestrial samples	
– Birgit KLEINSCHMIT	
Figure 1: Degraded <i>Populus euphratica</i> stand along the lower reaches of the Tarim River	338
Figure 2: Location of the study sites A und B near Arghan (above), and subset (below)	340
Figure 3: Distribution of strata in the surveyed area near Arghan	343

20	Analysis of some bio-meteorological characteristics of <i>Populus euphratica</i> Oliv.	
	– Nurbay ABDUSALIH, Tashpolat TIYIP & Parwin AWUT	
	<i>Figure 1</i> : Photosynthesis rates (mmol/m ² /s) of <i>P. euphratica</i> leaves taken from stands out in the desert ($p_{s_{\text{desert}}}$) and in the oasis ($p_{s_{\text{oasis}}}$) throughout the day	353
	<i>Figure 2</i> : Transpiration rates (mmol/m ² /s) of <i>P. euphratica</i> leaves taken from stands out in the desert (t_{desert}) and in the oasis (t_{oasis}) throughout the day	353
	<i>Figure 3</i> : <i>P. euphratica</i> leaf and air temperatures measured in desert and oasis stands	354

Part 4 The local economy

21	Comparative analysis of Uyghur and Han-Chinese farm management along the middle reaches of the Tarim River	
	– Stefanie HOFMANN	
	<i>Figure 1</i> : Distribution of cotton fields in the nature reserve in 2001	363
22	Grazing in the Tarim Huyanglin Nature Reserve	
	– Niels THEVS	
	<i>Figure 1</i> : Pasture areas of the eight families herding in Iminchäk and of the ranger station (No. 9). Background: Landsat ETM image, August 10, 2001	377
	<i>Figure 2</i> : Satellite classification map units within the pastures in Iminchäk	377
	<i>Figure 3</i> : Pasture of family No. 1	384
	<i>Figure 4</i> : Herders combing out mohair from goats in spring (spring 2003)	385
	<i>Figure 5</i> : Riparian reed after long, intensive grazing	390
	<i>Figure 6</i> : Pasture in the eastern part of the Tarim Huyanglin Nature Reserve where the vegetation has been completely destroyed	390