

**Emergence of Visual Content in the Human Brain –
Investigations of Amblyopia, Blindsight and
High-Level Motion Perception with fMRI**

DISSERTATION

***To obtain the degree of Doctor
at the Universiteit Maastricht
on the authority of the Rector, Prof. Dr. Gerjo Kok
in accordance with the decision of the Board of Deans,
to be defended in public***

***by
Lars Folker Muckli***

Promotiecommissie:

Supervisors:

Prof. Dr. Rainer Goebel

Prof. Dr. Wolf Singer, Department of Neurophysiology, Max Planck Institute for Brain Research, Frankfurt am Main, Germany

Assessment committee:

Prof. Dr. Harald Merckelbach

Dr. Elia Formisano

Prof. Dr. Peter Hagoort (F. C. Donders Centre for Cognitive Neuroimaging, Nijmegen, The Netherlands)

Dr. Bernadette Schmitt

Prof. Dr. Petra Stoerig (Institute for Experimental Psychology II, Heinrich-Heine-University, Düsseldorf, Germany)

Berichte aus der Psychologie

Lars Muckli

**Emergence of Visual Content in the Human Brain -
Investigations of Amblyopia, Blindsight and
High-Level Motion Perception with fMRI**

Shaker Verlag
Aachen 2002

Die Deutsche Bibliothek - CIP-Einheitsaufnahme

Muckli, Lars:

Emergence of Visual Content in the Human Brain - Investigations of Amblyopia, Blindsight and High-Level Motion Perception with fMRI / Lars Muckli.

Aachen : Shaker, 2002

(Berichte aus der Psychologie)

Zugl.: University Maastricht, Diss., 2002

ISBN 3-8322-0290-0

Copyright Shaker Verlag 2002

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publishers.

Printed in Germany.

ISBN 3-8322-0290-0

ISSN 0945-0890

Shaker Verlag GmbH • P.O. BOX 1290 • D-52013 Aachen

Phone: 0049/2407/9596-0 • Telefax: 0049/2407/9596-9

Internet: www.shaker.de • eMail: info@shaker.de

For Ilias

Table of contents

| | | |
|----------|--|-----|
| 1 | <i>Introduction</i> Functional imaging of vision | 1 |
| 2 | <i>Amblyopia</i> Cerebral correlates of impaired grating perception in human amblyopia | 13 |
| 3 | <i>Blindsight</i> Sustained extrastriate cortical activation without visual awareness revealed by fMRI studies of hemianopic patients | 35 |
| 4 | <i>Higher-level-motion I</i> Integration of multiple motion vectors over space: An fMRI study of transparent motion perception | 55 |
| 5 | <i>Higher-level-motion II</i> The constructive nature of vision: Direct evidence from fMRI studies of apparent motion and motion imagery | 75 |
| 6 | <i>Higher-level-motion III</i> Apparent motion: Event related fMRI of perceptual switches and states | 95 |
| | Summary | 107 |
| | Samenvatting | 111 |
| | Acknowledgments | 115 |
| | Curriculum vitae | 116 |