### INSTITUTE OF AGRICULTURE ENGINEERING

Universität Hohenheim

Chair in Agricultural Engineering in the Tropics and Subtropics

Prof. Dr. J. Müller

## Development of an Energy Efficient Drying System for High Quality Litchi Processing in Smallholder Cooperatives

### Dissertation

Submitted in fulfilment of the requirements for the degree of "Doktor der Agrarwissenschaften" (Dr.sc.agr. / Ph.D. in Agricultural Sciences)

to the
Faculty of Agricultural Sciences
presented by

Marcelo Figueira de Mello Precoppe Born in São Paulo, Brazil

This thesis was accepted as a doctoral dissertation in fulfilment of the requirements for the degree: "Doktor der Agrarwissenschaften", by the Faculty of Agricultural Sciences at the University of Hohenheim on 16.10.2013.

Date of oral examination: 08.01.2014

### **Examination Committee**

Supervisor and reviewer Prof. Dr. Joachim Müller

Co-reviewer Prof. Dr. Busarakorn Mahayothee

Additional examiners Prof. Dr. Hans W. Griepentrog

Deputy of the Dean Prof. Dr. Ralf T. Vögele

This research was conducted within the framework of the *Sonderforschungsbereich* "Sustainable Land Use and Rural Development in the Mountainous Areas of Southeast Asia" (SFB 564), as funded by the *Deutsche Forschungsgemeinschaft* (DFG) and co-funded by the National Research Council of Thailand.

# Schriftenreihe des Lehrstuhls für Agrartechnik in den Tropen und Subtropen der Universität Hohenheim

herausgegeben von Prof. Dr. Joachim Müller

Band 08/2014

Marcelo Figueira de Mello Precoppe

Development of an Energy Efficient

Drying System for High Quality Litchi Processing
in Smallholder Cooperatives

D 100 (Diss. Universität Hohenheim)

Shaker Verlag Aachen 2014

# **Bibliographic information published by the Deutsche Nationalbibliothek** The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data are available in the Internet at http://dnb.d-nb.de.

Zual.: Hohenheim, Univ., Diss., 2014

Copyright Shaker Verlag 2014
All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publishers.

Printed in Germany.

ISBN 978-3-8440-2592-7 ISSN 1867-4631

Shaker Verlag GmbH • P.O. BOX 101818 • D-52018 Aachen Phone: 0049/2407/9596-0 • Telefax: 0049/2407/9596-9

Internet: www.shaker.de • e-mail: info@shaker.de

### Acknowledgements

First of all, I would like to thank my supervisor, Prof. Dr. Joachim Müller, for guiding me throughout the research and thesis writing process. Also, at our institute in Hohenheim, I would like to thank Mrs Amberg and Mrs Lehman for helping me so patiently with the university's bureaucracy. I also would like to thank the cashiers at the Hohenheim cafeteria for providing me with a daily dose of smiles.

In Thailand, I would like to thank Boat, Eu and Dew for enduring the long working hours required to carry out this research, and for drinking my share of the litchi-whiskey offered to me in Mae Sa Mai. I would also like to thank Mrs Kanokwan from the Central Laboratory at the Faculty of Agriculture, Chiang Mai University, for providing a helping hand at all times. I should also thank Mr Taweesak, the head of the Hmong farmers' drying cooperative in Mae Sa Mai, for his friendship, even though we do not share a common language.

I would like to thank the anonymous referees for their helpful comments on the articles, and express my gratitude to Gary Morrison for his English proofreading. I must also thank my friends Christian Grovermann, Christian Höhn, Christian Troost, Christian Wänke, Elke Kühne, Felix Wolf, Isabel Barfuss and Katrin Schulze, for helping me write the summary in German. Finally, I would like to thank the members of my family, who, despite the geographical distance between us, have always been at my side.

#### **Foreword**

A toothpaste factory had a problem. On the last conveyor belt — where the toothpaste boxes were packed — was sometimes a box with no tube inside, meaning an empty box would be shipped. To solve this problem two engineers were hired. Six months (and US\$8 million) later, they came up with a solution: a high precision balance coupled to the conveyor belt and controlled by a computer. Whenever a toothpaste box weighed less than it should, the line would stop automatically and a hydraulic arm would remove the defective box.

Three months later, the CEO looked at the reports and read the amazing results. No empty boxes had been shipped out of the factory since the balance was installed. However the report also showed that in the last two months, the system had been switched off. He called the supervisor, the manager and the director, but no one could explain why. Finally, he spoke to the factory workers, who said they had turned the system off themselves, adding:

"It was creating a lot of work; the system froze all the time, slowing production." One of them explained, "We decided to do it in our own way; each of us contributed some money, then we bought an US\$80 fan and placed it near the conveyor belt. Every time an empty box went by, it was blown off the conveyor by the fan."

(Author unknown)

### Contents

1	Gen	eral introduction	1
	1.1	Mountainous regions of Southeast Asia	1
	1.2	Mountainous regions of Thailand	1
	1.3	Northern Thailand's land use history	2
	1.4	Litchi	4
	1.5	Village-based agro-processing	5
	1.6	Litchi drying in Mae Sa Mai village	6
	1.7	References	8
2	The	Optimal Physicochemical Properties of Dried Litchis for Thai Consumers	11
	2.1	Abstract	11
	2.2	Introduction	11
	2.3	Material and methods	12
		2.3.1 Product preparation	12
		2.3.2 Physical and chemical analyses	13
		2.3.3 Consumer evaluation	15
		2.3.4 Determination of the optimal properties	16
		2.3.5 Geometrical representation of optimized products	17
	2.4	Results and discussion	17
		2.4.1 Physicochemical properties and attribute ratings	17
		2.4.2 Optimal properties and predicted ratings	19
	2.5	Conclusion	23
	2.6	Acknowledgements	23
	2.7	References	23
3	Ana	lysis of dryer performance for the improvement of small-scale litchi processing	27
	3.1	Abstract	27
	3.2	Introduction	27
	3.3	Material and methods	28
		3.3.1 Drying procedure	28
		3.3.2 Measurements	29
		3.3.3 Energy analysis	31
		3.3.4 Quality analysis	33
	3.4	Results and discussion	34

	3.4.1 Energy analysis	34	
	3.4.2 Quality analysis	38	
3.5	Conclusions	41	
3.6	Acknowledgments	41	
3.7	References	42	
	proved energy efficiency of farmers' cooperative litchi drying operat		
4.1	Abstract	45	
4.2	.2 Introduction		
4.3	Material and methods	48	
	4.3.1 Drying procedure	48	
	4.3.2 Experiment design	50	
	4.3.3 Measurements	50	
	4.3.4 Product sampling and analysis	52	
	4.3.5 Energy performance evaluation	52	
	4.3.6 Statistical analyses	54	
4.4	Results and discussion	54	
4.5	Conclusions	59	
4.6	Acknowledgments	60	
4.7	References	60	
5 Bat	ch uniformity and energy efficiency improvements on a cabinet dry	er suitable to	
village 5.1	e-based agro-processing in developing countries		
5.1			
5.3			
3.3	5.3.1 Drying equipment		
	5.3.2 Modifications to the dryer and experimental design		
	5.3.3 Drying procedure		
	5.3.4 Batch uniformity evaluation		
	5.3.5 Energy performance evaluation		
	5.3.6 Statistical analysis		
5.4	Results and discussion		
J. <del>4</del>	5.4.1 Impacts on batch uniformity		
	5.4.2 Impact on energy performance		
5.5			
٠.٠	C011C1G01C1IO	/ 0	

8	Zusa	nmmenfassung	97
7 Sun		ummary	
	6.4	References	88
		Outlook	
	6.2	Litchi drying operation at the Hmong farmers' cooperative	85
	6.1	The development of a dryer suitable for village-based agro-processing activities	83
6	Gen	eral discussion	83
	5.7	References	79
		Acknowledgements	
			70