

# **Microstructure Design via Site-specific Control of Recrystallization and Nano-precipitation**

Von der Fakultät für Georessourcen und Materialtechnik der  
Rheinisch-Westfälische Technische Hochschule Aachen

zur Erlangung des akademischen Grades einer  
Doktorin der Ingenieurwissenschaften

genehmigte Dissertation  
vorgelegt von **M.Sc.**

**Jiali Zhang**

aus Henan, VR. China

Berichter: Prof. Dr.-Ing. Dierk Raabe  
Univ.-Prof. Jochen M. Schneider, Ph.D.

Tag der mündlichen Prüfung: 20. Mai 2016

Diese Dissertation ist auf den Internetseiten der Universitätsbibliothek online verfügbar.



Berichte aus der Materialwissenschaft

**Jiali Zhang**

**Microstructure Design via Site-specific Control  
of Recrystallization and Nano-precipitation**

Shaker Verlag  
Aachen 2016

**Bibliographic information published by the Deutsche Nationalbibliothek**

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data are available in the Internet at <http://dnb.d-nb.de>.

Zugl.: D 82 (Diss. RWTH Aachen University, 2016)

Copyright Shaker Verlag 2016

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publishers.

Printed in Germany.

ISBN 978-3-8440-4703-5

ISSN 1618-5722

Shaker Verlag GmbH • P.O. BOX 101818 • D-52018 Aachen

Phone: 0049/2407/9596-0 • Telefax: 0049/2407/9596-9

Internet: [www.shaker.de](http://www.shaker.de) • e-mail: [info@shaker.de](mailto:info@shaker.de)

*For my family*



# Acknowledgments

This dissertation would not have been completed without the presence of anyone who deserves to be specially thanked.

First and foremost, my sincere gratitude is expressed to Prof. Dierk Raabe, director at the Max-Planck-Institut für Eisenforschung GmbH, for his immense knowledge, encouragement and guidance starting from my master and lasting throughout the whole course of this dissertation.

My appreciation is to Prof. Jochen M. Schneider for being interested in this work and agreeing to be the second examiner of this dissertation.

I would like to deeply thank Dr. Cemal Cem Tasan, head of the adaptive structural materials group, for his dedication to this work by sparing time and offering all possible supports, valuable advice and scientific inspirations. Special appreciation is delivered to Dr. Jian Zhang and Minjie Lai for guiding my way and opening my field of vision into Titanium field.

I wish to express my great acknowledgments to those experts in their fields who have helped me tremendously: Ms. Monika Nellessen, Ms. Katja Agenendet, and Ms. Heidi Bögershausen for metallography, scanning electron microscopy and hardness measurements; Dr. Aleksander Kostka for transmission electron microscopy; Mr. Andreas Sturm for TEM specimen preparation using focused ion beam; Mr. Benjamin Breitbach for X-ray diffraction; Mr. Michael Adamek for tensile tests and dilatometry; Dr. Ann-Christin Dippel from DESY Hamburg for her support on the synchrotron X-ray diffraction; Mr. Frank Rütters, Mr. Michael Kulse, and Mr. Frank Schlüter for alloy casting and processing; Mr. Achim Kuhl and Mr. Berthold Beckschäfer for IT service; Ms. Petra Siegmund for library service; and Mr. Ralf Selbach for sample machining.

I would also like to send my appreciation to all my colleagues who have created a so lively scientific environment, specially: Dr. Stefan Zaefferer, Dr. Hauke Springer, Dr. Blazej Grabowski, Dr. Duancheng Ma, Dr. Konda Gokuldoss Pradeep, Dr. Xia Wu, Dr. Farangis Ram, Dr. Meimei Wang, Nahid Nora Elhami, Dr. Yujiao Li, Lutz Morsdorf, Dr. Michael Belde, Dr. Mehmet Ikbali Isik, Dr. Han Zhang, Dr. Rong Hu, Emanuel Welsch, Tristan Harzer, Agnieszka Szczepaniak, Dr. Dingshun Yan, Mengji Yao, and Zirong Peng.

I also want to acknowledge the financial support from the European Research Council under the EU's 7<sup>th</sup> Framework Programme (FP7/2007-2013)/ERC Grant agreement 290998 "SmartMet".

Last but not least, I want to sincerely express my gratitude and love to all my family members who have believed in and supported me unconditionally at every moment of my life.





# Contents

|                                                                                 |           |
|---------------------------------------------------------------------------------|-----------|
| <b>List of Symbols and Abbreviations</b>                                        | <b>v</b>  |
| <b>1 Introduction</b>                                                           | <b>1</b>  |
| 1.1 The microstructure design strategy . . . . .                                | 1         |
| 1.1.1 Motivation . . . . .                                                      | 1         |
| 1.1.2 Strategy . . . . .                                                        | 2         |
| 1.2 Current understanding of the studied alloys . . . . .                       | 5         |
| 1.2.1 Ti-gum metal . . . . .                                                    | 5         |
| 1.2.2 Fe-Mn-Al-C alloy . . . . .                                                | 6         |
| 1.2.3 Foundations of alloy selection . . . . .                                  | 8         |
| 1.3 Thesis structure . . . . .                                                  | 8         |
| <b>2 Materials and methodology</b>                                              | <b>11</b> |
| 2.1 Materials processing . . . . .                                              | 11        |
| 2.1.1 Casting and cold working . . . . .                                        | 11        |
| 2.1.2 Heat treatment in dilatometer . . . . .                                   | 12        |
| 2.2 Microstructure characterization . . . . .                                   | 13        |
| 2.3 Mechanical testing . . . . .                                                | 16        |
| <b>3 Characterization of cold working induced microstructure heterogeneity</b>  | <b>19</b> |
| 3.1 Introduction . . . . .                                                      | 19        |
| 3.2 Cold worked Ti-gum metal . . . . .                                          | 20        |
| 3.2.1 Long- and short-range heterogeneities . . . . .                           | 20        |
| 3.2.2 Mechanical response . . . . .                                             | 30        |
| 3.3 Cold worked Fe-Mn-Al-C alloy . . . . .                                      | 38        |
| 3.3.1 Long- and short-range heterogeneities . . . . .                           | 38        |
| 3.3.2 Mechanical response . . . . .                                             | 40        |
| 3.4 Conclusions . . . . .                                                       | 41        |
| <b>4 Microstructure tracking during heat treatment without an in-situ setup</b> | <b>43</b> |
| 4.1 Introduction . . . . .                                                      | 43        |
| 4.2 Methods . . . . .                                                           | 44        |
| 4.3 Case study: Recrystallization of gum metal . . . . .                        | 46        |
| 4.4 Summary . . . . .                                                           | 52        |

|          |                                                                                                 |            |
|----------|-------------------------------------------------------------------------------------------------|------------|
| <b>5</b> | <b>Partially recrystallized Ti-gum metal</b>                                                    | <b>53</b>  |
| 5.1      | Introduction . . . . .                                                                          | 53         |
| 5.2      | Results . . . . .                                                                               | 54         |
| 5.2.1    | Microstructure evolution . . . . .                                                              | 54         |
| 5.2.2    | Mechanical properties . . . . .                                                                 | 59         |
| 5.2.3    | In-situ characterization of deformation micro-mechanisms . . . . .                              | 59         |
| 5.3      | Discussion . . . . .                                                                            | 66         |
| 5.3.1    | Partial recrystallization kinetics . . . . .                                                    | 66         |
| 5.3.2    | Sequential activation of dislocation slip and channeling . . . . .                              | 68         |
| 5.3.3    | Adaptive strain partitioning . . . . .                                                          | 69         |
| 5.3.4    | Composite response in strength . . . . .                                                        | 71         |
| 5.4      | Conclusions . . . . .                                                                           | 73         |
| <b>6</b> | <b>Partially recrystallized Fe-Mn-Al-C alloy</b>                                                | <b>75</b>  |
| 6.1      | Introduction . . . . .                                                                          | 75         |
| 6.2      | Results . . . . .                                                                               | 76         |
| 6.2.1    | Recrystallization parameter determination . . . . .                                             | 76         |
| 6.2.2    | Microstructure evolution . . . . .                                                              | 78         |
| 6.2.3    | Mechanical properties and deformation mechanisms . . . . .                                      | 83         |
| 6.3      | Discussion . . . . .                                                                            | 90         |
| 6.3.1    | Ferrite formation and function during recrystallization . . . . .                               | 90         |
| 6.3.2    | Role of site-specifically precipitated $\kappa$ during deformation . . . . .                    | 92         |
| 6.3.3    | Strength enhancement compared to $\gamma$ - or $\alpha$ + $\gamma$ -FR microstructure . . . . . | 93         |
| 6.4      | Conclusions . . . . .                                                                           | 94         |
| <b>7</b> | <b>Summary and outlook</b>                                                                      | <b>97</b>  |
| 7.1      | Summary and main conclusions . . . . .                                                          | 97         |
| 7.2      | Outlook . . . . .                                                                               | 99         |
|          | <b>Bibliography</b>                                                                             | <b>101</b> |
|          | <b>List of Figures</b>                                                                          | <b>121</b> |
|          | <b>List of Tables</b>                                                                           | <b>123</b> |
|          | <b>Abstract</b>                                                                                 | <b>125</b> |
|          | <b>Zusammenfassung</b>                                                                          | <b>127</b> |
|          | <b>Curriculum Vitae</b>                                                                         | <b>129</b> |