





# Energy Savings in Phantom Cell Concept Heterogeneous Networks

Dissertation

zur Erlangung des akademischen Grades

*Doktor der Ingenieurwissenschaften (Dr.-Ing.)*

vorgelegt dem Fachbereich 1 (Physik/Elektrotechnik)

der Universität Bremen

von

Emmanuel Ternon

Tag des öffentlichen Kolloquiums:	2. Dezember 2016
Gutachter der Dissertation:	Prof. Dr.-Ing. A. Dekorsy Prof. Dr.-Ing. W. Kellerer
Weitere Prüfer:	Prof. Dr. A. Förster Prof. Dr.-Ing. G. Dietl



München im Dezember 2016



Dissertationen aus dem Arbeitsbereich Nachrichtentechnik der  
Universität Bremen

Band 2

**Emmanuel Ternon**

**Energy Savings in Phantom Cell Concept  
Heterogeneous Networks**

D 46 (Diss. Universität Bremen)

Shaker Verlag  
Aachen 2017

**Bibliographic information published by the Deutsche Nationalbibliothek**

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data are available in the Internet at <http://dnb.d-nb.de>.

Zugl.: Bremen, Univ., Diss., 2016

Copyright Shaker Verlag 2017

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publishers.

Printed in Germany.

ISBN 978-3-8440-5005-9

ISSN 2366-276X

Shaker Verlag GmbH • P.O. BOX 101818 • D-52018 Aachen

Phone: 0049/2407/9596-0 • Telefax: 0049/2407/9596-9

Internet: [www.shaker.de](http://www.shaker.de) • e-mail: [info@shaker.de](mailto:info@shaker.de)

# Preface

This thesis is the fruit of my four year research work at DOCOMO Euro-Labs in Munich, Germany, from October 2011 to September 2015. My deepest gratitude goes to DOCOMO Euro-Labs for giving me the opportunity to be employed as a Ph.D. Candidate and for providing me with the necessary financial and material support to complete this thesis in these four years. The completion of this Ph.D. thesis would not have been possible without many people whose help and support I would like to acknowledge.

First of all, I would like to deeply thank my DOCOMO Euro-Labs supervisor, Dr. Patrick K. Agyapong. He has always been available whenever I needed him and his continuous help, advice and feedback have always been extremely valuable. I am also equally thankful to Prof. Dr.-Ing. Armin Dekorsy for agreeing to be my Ph.D. supervisor and for providing me with continuous guidance, pointing me in the right research direction whenever necessary. I would also like to thank Prof. Dr.-Ing. Wolfgang Kellerer for agreeing to be the second reviewer of this Ph.D. thesis, as well as Prof. Dr. Anna Förster for taking the time to act as an examiner for the thesis defence. I am furthermore thankful to Prof. Dr.-Ing. Guido Dietl for his continuous support, for the multiple fruitful technical discussions I have had the chance to have with him, and for his role as thesis defence examiner. I am also grateful to Dr. Liang Hu and Dr. Zubin Bharucha for their precious help in the first steps of my Ph.D. research.

I would also like to sincerely thank my DOCOMO Euro-Labs colleagues for having contributed to the nice environment in which I had the privilege to work during my four years there, particularly my fellow Ph.D. students Samer, Thorsten, Marwa, Bo, Sandra, Hauke and Serkan, as well as my Wireless Research Group colleagues Jamal Bazzi, and Prof. Dr.-Ing. Petra Weitkemper, to whom I am particularly grateful since she introduced me to Prof. Dekorsy during my early days at DOCOMO Euro-Labs. Additionally, I would like to thank Dr. Katsutoshi Kusume, Dr. Mikio Iwamura and Dr. Hidekazu Taoka for having been such great managers and for their help

throughout the various steps of my Ph.D. research. Furthermore, I would like to thank Dr. Gunther Auer and Dr. Alexander Tyrrell without whom I would probably never have joined DOCOMO Euro-Labs.

I would also like to express my gratitude to Dirk, Carsten, Florian, Fabian, Matthias and all the other colleagues of the Department of Communications Engineering of the University of Bremen for treating me like one of their own whenever I have had the chance to visit them. Finally, I would like to thank my family and friends for their continuous support and encouragement throughout the whole duration of my Ph.D.

Munich, December 2016

Emmanuel Ternon



# Contents

<b>1</b>	<b>Introduction</b>	<b>1</b>
1.1	Thesis Structure and Contributions . . . . .	3
1.2	Notation . . . . .	7
<b>2</b>	<b>Background, State of the Art and System Model</b>	<b>9</b>
2.1	Overview . . . . .	9
2.2	Network Densification and the Challenge of Reducing Energy Consumption . . . . .	9
2.3	State-of-the-Art Energy Savings Techniques in HetNets . . .	11
2.3.1	Types of Energy Savings Techniques in HetNets . . .	11
2.3.2	Energy Savings through Small Cells Deactivation . . .	12
2.3.3	State-of-the-Art Energy Consumption Minimization Algorithm . . . . .	16
2.4	The Phantom Cell Concept . . . . .	18
2.4.1	System Architecture . . . . .	18
2.4.2	UE Connectivity Modes . . . . .	20
2.4.3	Macro-Assisted Small Cell Connection Establishment	21
2.4.4	Energy Savings in PCC Networks . . . . .	23
2.5	Chapter Summary . . . . .	24
<b>3</b>	<b>Energy Savings Algorithms</b>	<b>25</b>
3.1	Overview . . . . .	25
3.2	Mathematical Framing of Energy Savings Problem . . . . .	26
3.3	Solution Using the MM Algorithm . . . . .	28
3.4	Limitations of MM Algorithm Solution . . . . .	31
3.5	Heuristic Approach to Energy Savings in the PCC . . . . .	34
3.5.1	Instantaneous Total <i>On</i> Time Minimization Heuristic Algorithm . . . . .	34
3.5.2	Maximum SINR Heuristic Algorithm . . . . .	36
3.6	Performance Results . . . . .	39

3.7	Chapter Summary . . . . .	44
<b>4</b>	<b>Energy Savings Schemes</b>	<b>45</b>
4.1	Overview . . . . .	45
4.2	Signalling-Based Energy Savings Schemes . . . . .	46
4.2.1	Uplink (UL) Signalling-Based Scheme . . . . .	46
4.2.2	Downlink (DL) Signalling-Based Scheme . . . . .	47
4.2.3	Performance Results of the Signalling-Based Energy Savings Schemes . . . . .	50
4.3	Database-Aided Energy Savings Scheme . . . . .	52
4.3.1	Structure and Contents of the Macro Cell Database . . . . .	53
4.3.2	Signalling Flow of the Database-Aided Energy Savings Scheme . . . . .	56
4.3.3	Performance Results of the Database-Aided Energy Savings Scheme . . . . .	56
4.4	Analysis of Delays in Initial Connection Procedure . . . . .	60
4.4.1	Baseline Scheme . . . . .	61
4.4.2	UL Signalling-Based Scheme . . . . .	63
4.4.3	DL Signalling-Based Scheme . . . . .	66
4.4.4	Database-Aided Scheme . . . . .	67
4.5	Performance Results . . . . .	68
4.5.1	Fixed Number of Small Cells, Varying Number of UEs, 10 MHz Small Cell System Bandwidth . . . . .	69
4.5.2	Varying Number of Small Cells, Fixed Number of UEs, 10 MHz Small Cell System Bandwidth . . . . .	72
4.5.3	Fixed Number of Small Cells, Varying Number of UEs, 100 MHz Small Cell System Bandwidth . . . . .	74
4.5.4	Varying Number of Small Cells, Fixed Number of UEs, 100 MHz Small Cell System Bandwidth . . . . .	77
4.6	Chapter Summary . . . . .	79
<b>5</b>	<b>Influence of Traffic Model</b>	<b>81</b>
5.1	Overview . . . . .	81
5.2	Impact of Size of Arriving Files on Energy Savings Schemes Performance . . . . .	82
5.2.1	Performance Results for 10 MHz Small Cell System Bandwidth . . . . .	83
5.2.2	Performance Results for 100 MHz Small Cell System Bandwidth . . . . .	85
5.3	File Size-Based Small Cell Connection . . . . .	87
5.3.1	Perfect File Size Knowledge Assumption . . . . .	87

5.3.2	File Size Counting Method . . . . .	88
5.3.3	Assumptions on File Size Distribution . . . . .	88
5.3.4	Performance Results . . . . .	89
5.4	Chapter Summary . . . . .	94
<b>6</b>	<b>Conclusions</b>	<b>97</b>
6.1	Summary of Main Results . . . . .	98
6.2	Potential Future Research Directions . . . . .	102
<b>A</b>	<b>Power Transmitted by Idle Small Cells</b>	<b>107</b>
<b>B</b>	<b>Power Model for <i>Sleep</i> Mode Small Cells</b>	<b>109</b>
B.1	UL Signalling-Based Scheme . . . . .	111
B.2	DL Signalling-Based Scheme . . . . .	112
B.3	Database-Aided Scheme . . . . .	112
<b>C</b>	<b>System Model for Simulations</b>	<b>115</b>
C.1	Software Environment . . . . .	115
C.2	Simulation Environment and Parameters . . . . .	115
C.3	Database Training Phase . . . . .	117
C.4	Data Transmission Phase . . . . .	118
<b>D</b>	<b>Calculation of Simulation Metrics</b>	<b>121</b>
D.1	Energy Savings Metric Calculation . . . . .	121
D.2	Average UE Throughput Metric Calculation . . . . .	122
D.3	UE Satisfaction Rate Calculation . . . . .	122
	<b>Acronyms</b>	<b>127</b>
	<b>List of Symbols</b>	<b>131</b>
	<b>Bibliography</b>	<b>134</b>