


# Experimental and numerical study of noise generation caused by acoustic resonance in a cavitating orifice

Stefan Semrau



# Experimental and numerical study of noise generation caused by acoustic resonance in a cavitating orifice

Dissertation  
zur  
Erlangung des Grades

*Doktor-Ingenieur (Dr.-Ing.)*

der  
Fakultät für Maschinenbau  
der Ruhr-Universität Bochum

von

*Stefan Semrau*

aus Jena

Bochum 2021

Dissertation eingereicht am: 21.10.2020

Tag der mündlichen Prüfung: 10.02.2021

Erstgutachter: Prof. Dr.-Ing. Romuald Skoda

Zweitgutachter: Prof. Dr.-Ing. Stefan Becker

Berichte aus der Strömungstechnik

**Stefan Semrau**

**Experimental and numerical study of  
noise generation caused by acoustic resonance  
in a cavitating orifice**

Shaker Verlag  
Düren 2021

**Bibliographic information published by the Deutsche Nationalbibliothek**

The Deutsche Nationalbibliothek lists this publication in the Deutsche Nationalbibliografie; detailed bibliographic data are available in the Internet at <http://dnb.d-nb.de>.

Zugl.: Bochum, Univ., Diss., 2021

Copyright Shaker Verlag 2021

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without the prior permission of the publishers.

Printed in Germany.

ISBN 978-3-8440-8036-0

ISSN 0945-2230

Shaker Verlag GmbH • Am Langen Graben 15a • 52353 Düren

Phone: 0049/2421/99011-0 • Telefax: 0049/2421/99011-9

Internet: [www.shaker.de](http://www.shaker.de) • e-mail: [info@shaker.de](mailto:info@shaker.de)

## Acknowledgements

This Ph.D. thesis represents the outcome of my research during a three-year industrial doctorate at Bosch Rexroth AG in the central research and advance engineering department for fluid mechanics in Lohr am Main. The present work has been created in cooperation with the Chair of Hydraulic Fluid Machinery at the Ruhr-University Bochum. During this time, many people have contributed to the work of this thesis and supported me.

First of all I would like express my sincere thanks to my supervisor, Prof. Dr.-Ing. Romuald Skoda, who gave me the opportunity for this Ph.D. thesis and who contributed significantly to its success.

Furthermore, I would like to thank Prof. Dr.-Ing. Stefan Becker for acting as co-examiner with great interest in the subject.

Next, my sincere thanks also go to Dr.-Ing. Klaus Habr, who was the initiator of the work and contributed to its progress through many constructive discussions. Thank you very much for creating a research environment where I could develop my full potential. I would especially like to thank Dr.-Ing. Walther Wustmann for the supportive and positive atmosphere and the fruitful discussions and suggestions. They were essential in solving the occurring challenges. The many supporters not mentioned here by name who contributed to the progress and success of the work I would also like to thank.

I gratefully acknowledge the financial support by the Bosch Rexroth AG.

Last but not least, I am very grateful to my family, who always supported me in every aspect and every stage of my life. I thank you for your patience, trust and encouragement.

# Contents

<b>Publication .....</b>	<b>VIII</b>
<b>Nomenclature.....</b>	<b>IX</b>
<b>Abstract .....</b>	<b>XV</b>
<b>1 Introduction .....</b>	<b>1</b>
1.1 Problem description and motivation .....	1
1.2 State of the art .....	2
1.2.1 Cavitation-induced noise generation in valves .....	2
1.2.2 Experimental methods for the assessment of cavitating flows .....	4
1.2.3 Numerical methods for the simulation of cavitating flows.....	5
1.3 Objective and scope .....	7
<b>2 Physical background .....</b>	<b>11</b>
2.1 Fundamentals of cavitation .....	11
2.1.1 Phase change process.....	11
2.1.2 Cavitation inception.....	12
2.1.3 Classification of cavitation .....	13
2.1.4 Cavitation types .....	14
2.1.5 Effects of cavitation .....	15
2.2 Fundamentals of acoustics .....	19
2.2.1 Acoustic impedance and reflection.....	19
2.2.2 Acoustic resonator .....	21
<b>3 Simulation method.....</b>	<b>23</b>
3.1 Physical modeling .....	23
3.1.1 Governing equations.....	23
3.1.2 Cavitation modeling.....	25
3.2 Numerics .....	28
3.2.1 Semi-discrete formulation of the governing equations.....	29
3.2.2 Low Mach number modified flux function.....	30
3.2.3 High-order spatial reconstruction .....	31
3.2.4 Time integration.....	32

<b>4 Experimental setup.....</b>	<b>35</b>
4.1 Test rig .....	35
4.2 Tested orifices .....	37
4.3 Acoustic boundary conditions of the pipe resonator.....	39
4.4 Case dependent behavior of the pipe resonator .....	41
<b>5 Experimental results.....</b>	<b>43</b>
5.1 Cavitation regimes and whistling phenomenon .....	43
5.1.1 Cavitation inception and the beginning of the choked flow regime .....	45
5.1.2 Occurrence of the whistling noise .....	47
5.1.3 Developed cavitation and degassing air regime .....	51
5.2 Whistling noise influencing parameters.....	54
5.2.1 History of the flow field.....	55
5.2.2 Length of the pipe resonator .....	56
5.2.3 Pressure wave propagation upstream of the orifice .....	58
5.2.4 Direction of the jet .....	60
<b>6 Numerical setup .....</b>	<b>65</b>
6.1 Simulated operating points.....	65
6.2 Simulation model .....	66
<b>7 Comparison of numerical and experimental results .....</b>	<b>75</b>
7.1 Identification of the whistling phenomenon .....	75
7.2 Analysis of the whistling phenomenon.....	76
7.2.1 Second-order resonance frequency .....	76
7.2.2 First-order resonance frequency .....	79
<b>8 Summary of main results .....</b>	<b>83</b>
<b>9 Conclusions and outlook .....</b>	<b>87</b>
<b>References.....</b>	<b>89</b>
<b>Appendix A .....</b>	<b>99</b>
A.1 Test components.....	99
A.2 Measured amplitude spectra .....	101
<b>Curriculum Vitae .....</b>	<b>103</b>